

## LIST OF PUBLICATIONS

1. Complex Formation Between Pyrene and the Nucleotides GMP, CMP, TMP and AMP : P. LIANOS and S. GEORGHIOU, *Photochem. Photobiol.* 29 (1979) 13.
2. Complex Formation Between Alcohols and the Aromatic Hydrocarbons Pyrene and 1-Methylpyrene: P. LIANOS and S. GEORGHIOU, *Photochem. Photobiol.* 29 (1979) 843.
3. Solute-Solvent Interaction and its Effect on the Vibronic and Vibrational Structure of Pyrene Spectra: P. LIANOS and S. GEORGHIOU, *Photochem. Photobiol.* 30 (1979) 355.
4. Environmental Effects on the Electronic Spectral Properties of 1-Pyrenecarboxaldehyde and their Application in Probing Biological Structures: P. LIANOS and G. CREMEL, *Photochem. Photobiol.* 31 (1980) 429.
5. Surfactant-Alcohol Mixed-Micelle Formation. Cetyltrimethyl-amonium Bromide-1 Butanol System: P. LIANOS and R. ZANA. *Chem. Phys. Lett.* 72 (1980) 171.
6. Microenvironment of Aromatic Hydrocarbons Employed as Fluorescent Probes of Liposomes: P. LIANOS, K. MUKHOPADYAY and S. GEORGHIOU, *Photochem. Photobiol.* 32 (1980) 415.
7. Photophysical properties of Pyrene and its Derivatives of Biophysical Importance: P. LIANOS, B. LUX and D. GERARD, *J. Chim. Phys.* 77 (1980) 907.
8. Effect of Alcohol on the Properties of Micellar Systems. I. Critical Micellar Concentration, Micelle Molecular Weight and Ionization Degree and Solubility of Alcohols in Micellar Solutions: R. ZANA, S. YIV, C. STRAZIELLE and P. LIANOS, *J. Colloid Interface Sci.*, 80 (1981) 208.
9. Fluorescence Probing Study of the Effect of Medium Chain Length Alcohols on the Properties of Tetradecyltrimethylammonium Bromide, Aqueous Micelles: P. LIANOS and R. ZANA, *Chem. Phys. Letters*, 76 (1980) 62.
10. Use of Pyrene as Fluorescent Probe to study the Effect of NaCl on the Structure of SDS Micelles: P. LIANOS and R. ZANA, *J. Phys. Chem.*, 84 (1980) 3339.
11. Study of Luminescence Quenching and Excimer Formation in Micellar systems and Microemulsions. Case of small Interaction Rate Constants: P. LIANOS, M. DINH-CAO, J. LANG and R. ZANA, *J. Chim. Phys.*, 78 (1981) 497.
12. Fluorescence Probe Studies of the Effect of Concentration on the state of Aggregation of Surfactants in Aqueous Solution : P. LIANOS and R. ZANA, *J. Colloid Interface Sci.*, 84 (1981) 100.
13. Fluorescence Probe Study of the Interaction Between Pyrene and Microemulsion-Polymerized Styrene P. LIANOS, *J. Phys. Chem.*, 86 (1982) 1935-1937.
14. Fluorescence Probe Study of Oil-in-Water Microemulsions. I. Effect of Pentanol and Dodecane or Toluene on Some Properties of Sodium Dodecylsulfate Micelles: P. LIANOS, J. LANG, C. STRAZIELLE and R. ZANA, *J. Phys. Chem.*, 86 (1982) 1019-1025.
15. Fluorescent Probe Study of Oil-in-Water Microemulsions. II. Effect of the Nature Of Alcohol, Oil and Surfactant Aggregation Number in the Aggregates: P. LIANOS, J. LANG and R. ZANA, *J. Phys. Chem.*, 86 (1982) 4809-4814.
16. Study of Micelles of Tetradecyltrialkylammonium Bromides with Fluorescent Probes: P. LIANOS and R. ZANA, *J. Collo. Interface Sci.*, 88 (1982) 594-598.

17. Fluorescent Probe Study of the Effect of Concentration on Some Properties of Dodecyltrimethylammonium and Dialkyldimethylammonium Halide Micelles: P. LIANOS, J. LANG and R. ZANA, *J. Colloid Interface Sci.*, 91 (1983) 276-279.
18. Fluorescence Probe Studies of the Aggregation State of Sodium Dodecylsulfate in Aqueous Solutions of Polyoxyethylenglycol and Poly-N-vinylpyrrolidone: R. ZANA, J. LANG and P. LIANOS, *Polymer Reprints* 23 (1982) 39-40.
19. Fluorescence Probe Study of Oil-in-Water Microemulsions: R. ZANA, J. LANG and P. LIANOS, in *Proceedings, Surfactants in Solution*, K. L. Mittal and B. Lindman, eds., Plenum Press, N. Y., 1984, Vol. III.
20. Micellar Properties of Alkyltrimethylammonium Hydroxides in Aqueous Solution: P. LIANOS and R. ZANA, *J. Phys. Chem.*, 87 (1983) 1289-1291.
21. Static and Dynamic Properties of Sodium p-(1-propyl-nonyl)benzenesulfonate Micelles: P. LIANOS and J. LANG, *J. Colloid Interface Sci.*, 96 (1983) 222-228.
22. Fluorescence Probe Study of Oil-in-Water Microemulsions. III. Further Investigations Involving Other Surfactants and Oil Mixtures: P. LIANOS, J. LANG, J. STURM and R. ZANA, *J. Phys. Chem.*, 88 (1984) 819-822.
23. Study of the Solubilization of Aromatic Hydrocarbons by Aqueous Micellar Solutions: P. LIANOS, M.-L. VIRIOT and R. ZANA, *J. Phys. Chem.*, 88 (1984) 1098-1101.
24. Effect of Medium-Chain-Length Alcohols on the Micelles of Tetradecyltrimethylammonium Bromide: P. LIANOS and R. ZANA, *J. Colloid Interface Sci.*, 101 (1984) 587-590.
25. Subnanosecond Pulse Fluorometric Study of the Ca<sup>++</sup> and Mg<sup>++</sup> -induced Conformational Changes on S100-a Protein: J. BAUDIER, J. TYRZYK, J.-E. LOFROTH and P. LIANOS, *Biophys. Biochem. Res. Comm.*, 123 (1984) 959-965.
26. Fluorescence Probe Studies of the Interactions Between Polyoxyethylene and Surfactant Micelles and Microemulsion Droplets in Aqueous Solutions: R. ZANA, P. LIANOS and J. Phys. Chem. 89 (1985) 41-44.
27. Fluorescence-Probe Studies of the Aggregation State of Surfactants in Aqueous Polymer Solutions: R. ZANA, J. LANG and P. LIANOS, in *Microdomains in Polymer Solutions*, P. Dubin, ed., Plenum Press, 1985, p.357.
28. Luminescence-Probe Study of Water-in-oil Microemulsions: P. LIANOS, R. ZANA, J. LANG and A.-M. CAZABAT, in *Surfactants in Solution*, Vol. 6, K. L. Mittal and P. Bothorel, eds., Plenum Press, 1986, p.1365.
29. Cadmium Sulfide of Small Dimensions, Produced in Inverted Micelles: P. LIANOS and J. K. THOMAS, *Chem. Physics Letters*, 125(1986)299-302  
[10.1016/0009-2614\(86\)87069-5](https://doi.org/10.1016/0009-2614(86)87069-5)
30. Small CdS Particles in Inverted Micelles: P. LIANOS and J. K. THOMAS, *J. Colloid Interface Sci.*, 117(1987)505.
31. Colloidal Metal Sulfides of Extremely Small Dimensions Produced in Reversed Micelles: P. LIANOS and J. K. THOMAS, in *Chemistry of Interfaces*, J. Czarnecki, ed., Trans Tech Publications, Switzerland, 1988, p.369.
32. Fractal Modeling of Luminescence Quenching in Microemulsions: P. LIANOS and S. MODES, *J. Phys. Chem.*, 91(1987)6088.
33. Microemulsions and Other Organized Assemblies as Media of Fractal Dimensions. A Luminescence Probe Study. P. LIANOS, *Progress in Colloid and Polymer Science*, 76(1988)140.

34. Fractal Modeling of Pyrene Excimer Quenching in Phospholipid Vesicles: G.DUPORTAIL and P.LIANOS, *Chem.Phys.Letters*, 149(1988)73.
35. Luminescence Quenching in Organized Assemblies Treated as Media of Non-Integer Dimensions: P.LIANOS *J.Chem.Phys.*, 89(1988)5237.
36. Structural Study of Silicate Glasses by Luminescence Probing: The Nature of Small Semiconductor Particles Formed in Glasses: S.MODES and P.LIANOS, *Chem.Phys.Letters*, 153(1988)351.
37. Luminescence Probe Study of the Conditions Affecting Colloidal Semiconductor Growth in Reverse Micelles and Water-in-Oil Microemulsions: S.MODES and P.LIANOS, *J.Phys.Chem.*, 93(1989)5854.
38. Chemical Reactions in Restricted Spaces. Decay in the Presence of Quenchers: P.LIANOS and P.ARGYRAKIS, *Phys.Rev. A*, 39(1989)4170.
39. Phospholipid Vesicles Treated as Fractal Objects. A Fluorescence Probe Study: G.DUPORTAIL and P.LIANOS, *Chem.Phys.Letters*, 165(1990) 35.
40. Luminescence Probe Study of Organized Assemblies Treated as Fractal Objects: P.LIANOS, in "Structure, Dynamics and Equilibrium Properties of Colloidal Systems", D.M.Bloor and E.Wyn-Jones, eds., Kluwer Academic Publishers, 1990, p.309.
41. Relation of Fractal Behavior of Luminescence Quenching with Electric Percolation in Water-in-oil Microemulsions: S.MODES, P.LIANOS and A.XENAKIS, *J.Phys.Chem.*, 94(1990)3363.
42. Fractal Nature of Fluorescence Quenching and its Relation to Percolative Conduction in Water-in-oil Microemulsions: P.LIANOS and A.MALLIARIS, *Israel J.Chem.* 31(1991)177.
43. Reactions in Microemulsions: Fractal Modeling. : P.LIANOS and A.ARGYRAKIS, in "Large Scale Molecular Systems: Quantum and Stochastic Aspects. Beyond the simple Molecular Picture", W.Gans, A.Blumen and A.Amann Eds., Plenum Press, New York, 1991, p.573.
44. Fluorescence probing of Phospholipid Vesicles using Fractal Models: P.LIANOS and G.DUPORTAIL, *Applied Fluorescence Technology*, 2(1990)15.
45. One-dimensional Singlet Energy Migration in the Columnar Liquid Crystal of a Triphenyl Derivative.: D.MARKOVITSI, I.LECUYER, P.LIANOS and J.MALTHETE, *J.Chem.Soc.Far.Trans.*, 87(1991)1785.
46. Fractal Models for Luminescence Probing of Organized Assemblies. Studies with respect to the Nature of the Assembly, the Temperature and the Quencher Concentration.: P.LIANOS and G.DUPORTAIL. *Progr.Coll.Polym.Sci.* 84(1991)151.
47. Behavior of the Rate Constant for Reactions in Restricted Spaces: Fluorescence probing of Lipid Vesicles.: P.ARGYRAKIS, G.DUPORTAIL and P.LIANOS, *J.Chem.Phys.*, 95(1991)3808.
48. Reactions in Lipid Vesicles. Pyrene Excimer Formation studied with Fractal Models. Effect of Temperature and Concentration.: P.LIANOS and G.DUPORTAIL, *Eur.Biophys.J.*, 21(1992)29.
49. Interaction of Polyoxyethyleneglycol with cyclohexanepentanol-sodium dodecylsulfate water-in-oil microemulsions.: P.LIANOS, S.MODES, G.STAIKOS and W.BROWN, *Langmuir*, 8(1992)1054.
50. Time-correlated study of Fluorescent Probes in Lipid Aggregates using Fractal Models.: G.DUPORTAIL, J.C.BROCHON and P.LIANOS, *J.Phys.Chem.*, 96(1992)1460.

51. Behavior of the rate constant for reactions in restricted spaces: 2.Luminescence probing of water-in-oil microemulsions.: P.LIANOS, J.C.BROCHON and P.TAUC, *Chem.Phys.*, 170(1993)235.
52. Effect of Temperature on the Structural Properties of the Poly(ethylene oxide)/Poly(propylene oxide)/Poly(ethylene oxide) Triblock Copolymer studied with Time-correlated Fluorescence Probing Techniques: P.LIANOS and W.BROWN, *J.Phys.Chem.*, 96(1992)6439.
53. Time-correlated models applicable to reactions in restricted geometries: Phospholipid vesicles in their gel and liquid crystalline phases: G.DUPORTAIL, J-C.BROCHON and P.LIANOS, *Biophys.Chem.*, 45(1993)227.
54. Interaction of  $\alpha$ -Hydro- $\omega$ -hydroxypoly(oxy-1,2ethanediyl) with water-in-oil microemulsions. 2. Medium size polymer. Cyclohexane and toluene microemulsions: D.PAPOUTSI, P.LIANOS and W.BROWN. *Langmuir* 9(1993)663.
55. Electric Percolation of Enzyme Containing Microemulsions.: V.PAPADIMITRIOU, A.XENAKIS and P.LIANOS, *Langmuir*, 9(1993)912.
56. Microemulsion Gels obtained by the Sol-Gel method using Metal Alkoxides: P.LIANOS and D.PAPOUTSI, *Progr. Colloid Polym. Sci.* 93(1993)292.
57. Enzyme induced percolation of w/o Microemulsions: A.XENAKIS, V.PAPADIMITRIOU AND P.LIANOS, *Progr. Colloid Polym. Sci.* 93(1993)370.
58. Calculation of the Rate Constant for Fluorescence Quenching in Organized Molecular Assemblies: P.LIANOS, *Chem.Phys.Lett.*, 202(1993)471.
59. Time-correlated Fluorescence Fractal Analysis in Lipid Aggregates: P.LIANOS and G.DUPORTAIL, *Biophys.Chem.*, 48(1993)293.
60. Sol-gel derived TiO<sub>2</sub> Microemulsion Gels and Coatings: D.PAPOUTSI, P.LIANOS, P.YIANOULIS AND P.KOUTSOUKOS, *Langmuir* 10(1994)1684.
61. Photophysical Properties of Dyes incorporated into SiO<sub>2</sub> matrices by the Sol-gel Method: P.LIANOS, *Chimica Chronica, New Series*, 23(1994)169.
62. The A+B $\rightarrow$ B reaction for unequal reactant concentration: P.LIANOS and P.ARGYRAKIS, *J.Phys.Chem.* 98(1994)7278.
63. Interaction of Polyoxyethylene glycol with Water-inOil Microemulsions. 3. Effect of Polymer size and Polymer Concentration: D.PAPOUTSI, P.LIANOS AND W.BROWN, *Langmuir* 10(1994)3402.
64. Fluorescence Energy Transfer in Lipid Vesicles. A Time-resolved analysis by using stretched exponentials:G.DUPORTAIL, F.MEROLA and P.LIANOS, *J.Photochem.Photobiol. A.Chem.*, 89(1995)135.
65. Fluorescence probing of Vesicles using Pyrene and Pyrene Derivatives: G.DUPORTAIL and P.LIANOS, in "Vesicles", *Surfactant Science Series/62*, M.Rosoff, ed., Marcel Dekker, Inc. New York 1996, p.295.
66. Effect of Polyethylene Glycol of Varying Chain length on Cyclohexane-pentanol-sodium dodecylsulfate Water-in-oil Microemulsions: P.LIANOS, D.PAPOUTSI and W.BROWN, *Progr.Colloid.Polym.Sci.*, 97(1994)243.
67. TiO<sub>2</sub> Microemulsion Gels obtained by the Sol-gel method using Titanium isopropoxide: P.LIANOS and D.PAPOUTSI, *Progr.Colloid.Polym.Sci.*, 97(1994)240.
68. Pyrene in mixed titania-surfactant films made by hydrolysis of titanium isopropoxide in the presence of reversed micelles: D.PAPOUTSI and P.LIANOS, *Langmuir*, 11(1995)1.

69. Pressure Effects on Reaction Rates in the Lipid Bilayer. A Fluorescence Time-correlated Study: C.R.MATEO, P.TAUC, S.TOSTI, G.DUPORTAIL and P.LIANOS, *Spectrochimica Acta A* 51(1996)565.
70. Photophysical Studies of Pyrene Solubilized in Thin Films on Glass Substrates: D.PAPOUTSI and P.LIANOS, *Progr.Coll.Polym.Sci.*, 98(1995)288.
71. Comment on the "Effect of Addition of Water-soluble Polymers in Water-in-oil Microemulsions Made with Anionic and Cationic Surfactants": P.LIANOS, *J.Phys.Chem.*, 100(1996)5155.
72. Molecular Diffusion and Fluorescence Energy Transfer Studies in thin Surfactant Films: D.PAPOUTSI, V.BEKIARI, E.STATHATOS, P.LIANOS and A.LASCHEWSKY, *Langmuir* 11(1995)4355.
73. Time-resolved Fluorescence Quenching Models in Restricted Geometries: P.LIANOS, *Heterogeneous Chemistry Reviews* 3(1996)53.
74. Nanocrystallite Titanium dioxide Films made by the Sol-gel Method using Reverse Micelles: E.STATHATOS, P.LIANOS, F.DEL MONTE, D.LEVY and D.TSIOURVAS, *Journal of Sol-gel Science and Technology*, 10(1997)83..
75. An Amphiphilic Hemicyanine Dye Employed as a Sensitive Probe of Water in Reverse AOT Micelles: M.HOF, P.LIANOS and A.LASCHEWSKY, *Langmuir*, 13(1997)2181.
76. Lecithin w/o Microemulsions as a Host for Trypsin. Enzyme Activity and Luminescence Decay Studies: S.AVRAMIOTIS, A.XENAKIS and P.LIANOS, *Progr.Colloid Polym.Sci.*, 100(1996)286.
77. Trypsin Studies in Lecithin Based w/o Microemulsions. Fluorescence and Enzyme Activity Studies: S.AVRAMIOTIS, P.LIANOS and A.XENAKIS, *Biocatalysis and Biotransformations*, 14(1997)299.
78. A Pyrene-loaded Film composed of Triton X-100 and Poly(vinylmethylether): V.BEKIARI and P.LIANOS, *J.Coll.Interf.Sci.*, 182(1996)304.
79. Photophysical Studies in AOT Films Deposited on Fused Silica Slides: V.BEKIARI and P.LIANOS, *J.Coll.Interf.Sci.*, 183(1996)552.
80. Structural Studies of Thin AOT Films by Using the Polarity Fluorescent probe Coumarin-153: M.HOF and P.LIANOS, *Langmuir*, 13(1997)290.
81. *Photophysical Properties of an Amphiphilic Hemicyanine Dye in Solution and Adsorbed on a TiO<sub>2</sub> Mesoporous Film*: E.Stathatos, P.Lianos and A.Laschewsky, *Langmuir*, 13(1997)259.
82. *Study of Silica-Surfactant Composite Films with Fluorescent Probes*: M.Ferrer and P.Lianos, *Langmuir*, 12(1996)5620.
83. *Photophysical studies of Aerosol-OT films loaded with biological macromolecules and made from reverse micelles*: V.Bekiari, P.Lianos, S.Avraniotis and A.Xenakis, *Progr.Colloid Polym.Sci.* 105(1997)109.
84. *Structural studies of lecithin and AOT based w/o microemulsions, in the presence of lipase*: S.Avraniotis, H.Stamatis, F.N.Kolisis, P.Lianos and A.Xenakis, *Langmuir*, 12(1996)6320.
85. *Titanium dioxide films made from reverse micelles and their use for the photocatalytic degradation of adsorbed dyes*: E.Stathatos, D.Tsiourvas and P.Lianos, *Colloids and Surfaces A. Physicochemical and Engineering Aspects*, 149(1999)49.

86. *Fluorescence probing of composite organic/inorganic transparent matrices:* V.Bekiari, M.Ferrer, S.Stathatos and P.Lianos, *J.Sol-gel Sci.Techn.* 13(1998)95-98.
87. *Formation of TiO<sub>2</sub> nanoparticles in reverse micelles and their deposition as thin films on glass substrates:* E.Stathatos, P.Lianos, F.DelMonte, D.Levy and D.Tsiourvas, *Langmuir* 13(1997)4295.
88. *Structural and dynamic properties of lecithin-alcohol based w/o microemulsions. A luminescence quenching study:* S.Avraniotis, V.Bekiari, P.Lianos and A.Xenakis, *J.Colloid Interf.Sci.*, 194(1997)326.
89. *Study of leaching of organic molecules from composite silica/surfactant films into water:* M-L.Ferrer, V.Bekiari, P.Lianos and D.Tsiourvas, *Chem.Mater.*, 9(1997)2652.
90. *Improvement of the emission properties of sol-gel silica matrices containing Eu<sup>3+</sup> in the presence of poly(ethylene glycol)-200:* V.Bekiari, G.Pistolis and P.Lianos, *J.Non-crystal.Solids*, 226(1998)200.
91. *Investigation of hydrophobic interactions in dilute aqueous solutions of hydrogen-bonding interpolymer complexes by steady-state and time-resolved fluorescence measurements:* M.Koussathana, P.Lianos and G.Staikos *Macromolecules* 30(1997)7798.
92. *Spectral narrowing in the emission of rhodamine 6G incorporated in thin surfactant films:* E.Stathatos, P.Lianos and S.Couris, *SPIE Vol.3423*, p.224.
93. *Time-resolved fluorescence quenching studies in nanocomposite materials made of silica and cetyltrimethylammoniumbromide:* V.Bekiari, M.-L.Ferrer and P.Lianos, *J.Phys.Chem.B.*, 103(1999)9085.
94. *Preparation of Zn<sub>x</sub>Cd<sub>1-x</sub>S nanocomposites in polymer matrices and their photophysical properties:* J.Huang, P.Lianos, Y.Yiang and J.Shen, *Langmuir*, 14(1998)4342.
95. *Characterization of Photoluminescence from a Material made by interaction of 3-Aminopropyltriethoxysilane with Acetic acid:* V.Bekiari and P.Lianos, *Langmuir*, 14(1998)3459.
96. *Photoluminescence of ZnS Nanoparticles doped with Europium ions in a Polymer Matrix:* D.-D.Papakonstantinou, J.Huang, and P.Lianos, *J.Mater.Sci.Letters*, 17(1998)1571.
97. *Intensely luminescent materials obtained by combining lanthanide ions, 2,2'-bipyridine and poly(ethyleneglycol) in various fluid or solid environments.:* V.Bekiari, G.Pistolis and P.Lianos, *Chem.Mater.*, 11(1999)3189.
98. *Investigation of Neutral polymer-Ionic surfactant interactions by Fluorescence in conjunction with Viscosity measurements:* Y.Mylonas, K.Karayanni, G.Staikos, M.Koussathana and P.Lianos, *Langmuir*, 14(1998)6320.
99. *Efficient luminescent materials made by incorporation of terbium(III) and 2,2'-bipyridine in silica/poly(ethylene oxide) hybrid gels:* V.Bekiari, P.Lianos and P.Judeinstein, *Chem.Phys.Letters*, 307(1999)310.
100. *Study of poly(methyl methacrylate) thin films doped with laser dyes:* J.Huang, V.Bekiari, P.Lianos and S.Couris, *J.Luminescence*, 81(1999)285.
101. *Strongly luminescent poly(ethyleneglycol)-2,2'-bipyridine-lanthanide ion complexes:* V.Bekiari and P.Lianos, *Advanced Materials*, 10(1998)1455.
102. *Tunable photoluminescence from a material made by interaction between (3-aminopropyl)triethoxysilane and organic acids:* V.Bekiari and P.Lianos, *Chemistry of Materials*, 10(1998)3777.

103. *Photocatalytically deposited silver nanoparticles on mesoporous TiO<sub>2</sub> films:* E.Stathatos, P.Lianos, P.Falaras and A.Siokou, Langmuir, 16(2000)2398-2400  
<http://pubs.acs.org/doi/abs/10.1021/la981783t>
104. *Spectral narrowing in a rhodamine doped TiO<sub>2</sub>/surfactant thin film:* E.Stathatos, P.Lianos and S.Couris, Appl.Phys.Letters, 75(1999)319.
105. *Titanium dioxide films made by using poly(ethylene glycol) oligomers as templates:* E.Stathatos, P.Lianos and P.Falaras, Progr.Coll.Poly.Sci., 118(2001)96-99.
106. *Investigation of the Poly(N-isopropylacrylamide)-Sodiumdodecylsulfate complexation with viscosity, dialysis and time-resolved fluorescence quenching measurements:* Y.Mylonas, G.Staikos and P.Lianos, Langmuir, 15(1999)7172.
107. *High-yield luminescence from cadmium sulfide nanoclusters supported in a poly(ethyleneglycol) oligomer:* V.Bekiari and P.Lianos, Langmuir, 16(2000)3561.
108. *Dye-sensitized photoelectrochemical cell using a nanocomposite SiO<sub>2</sub>/poly(ethylene glycol) thin film as electrolyte support. Characterization by time-resolved luminescence and conductivity measurements.:* E. Stathatos, P.Lianos and Ch.Krontiras, J.Phys.Chem. B. 105(2001)3486-3492.
109. *Photophysical behavior of a new gemini surfactant in neat solvents and in micellar environments:* E. Stathatos, P.Lianos, R.H.Rakotoaly, A. Laschewsky and R.Zana, J.Colloid Interf.Sci., 227(2000)476.
110. *Structural Study of Hybrid Organic/inorganic Polymer Gels by using Time-Resolved Fluorescence Probing :* E. Stathatos, P.Lianos, U.Lavrencic Stangar, B.Orel and P.Judeinstein, Langmuir, 16(2000)8672-8676.
111. *Photophysical properties of a series of blue-emitting rigid-flexible polyethers in solution and in thin films:* V.Bekiari, E.Stathatos, P.Lianos, F.Konstandakopoulou, J.Kallitsis and S.Couris, J.Lumin., 93(2001)223-227.
112. *Optimization of luminescence emission from silica/poly(ethyleneoxide) and silica/poly(propyleneoxide) nanocomposite gels :* V.Bekiari, P.Lianos, U.Lavrencic Stangar, B.Orel and P.Judeinstein, Chem.Mater. 12(2000)3095-3099.
113. *New high-yield luminescent materials obtained by combining terpyridine, metal cations (including lanthanides) and poly(ethylene glycol) :* V.Bekiari and P.Lianos, Adv.Mater., 12(2000)1603.
114. *Studies on hybrid organic/inorganic nanocomposite gels by using photoluminescence techniques:* V.Bekiari, E.Stathatos, P.Lianos, U.Lavrencic Stangar, B.Orel and P.Judeinstein, Chemical Monthly, 132(2001)97-102 and in *Molecular Materials and functional polymers:* W.J.Blau, P.Lianos and U.Schubert (Editors), Springer-Verlag Wien, 2001.
115. *Organic-Inorganic sol-gel hybrids with iono-optic properties:* B.Orel, Urska Lavrencic Stangar, N.Groselj, P.Judeinstein, F.Decker and P.Lianos, Chemical Monthly, 132(2001)103 and in *Molecular Materials and functional polymers:* W.J.Blau, P.Lianos and U.Schubert (Editors), Springer-Verlag Wien, 2001.
116. *Micellar thin films:* P.Lianos, Encyclopedia of Surface and Colloid Science, Marcel Dekker Inc. 2002.
117. *Enhancement of weak radiative transitions of Eu<sup>3+</sup> in thin surfactant films in the presence of PMMA:* J.Huang, V.Bekiari and P.Lianos, Progr.Coll.Poly.Sci., 118(2001)27-29.
118. *Synthesis of a hemicyanine dye bearing two carboxylic groups and its use as photosensitizer in Dye-Sensitized Photoelectrochemical Cell:* E. Stathatos,

- P.Lianos, A.Laschewsky, O.Ouari and P. Van Cleuvenbergen, *Chem.Mater.*, 13(2001)3888-3892.
119. *Amplified Spontaneous Emission and Laser Action from solutions of substituted p-oligophenylenes*: M.Ciaris, K.G.Gravalos, E.Stathatos and P.Lianos, *Optical Materials*, 18(2001)351-354.
  120. *Luminescent materials obtained by combining Oligopyridine ligands, Lanthanide ions and Poly(ethylene glycol) in solid gels*: V.Bekiari and P.Lianos, *Proceedings of the 6th. Seminar on Physics and Chemistry of Molecular Systems, Brno, Czech Republic, 2001*.
  121. *Study of Laser Action of Coumarine-153 incorporated in Sol-gel made silica/poly(propylene oxide) nanocomposite gels*: E.Stathatos, P.Lianos, U.Lavrencic Stangar and Boris Orel, *Chem.Physics Letters*, 345(2001)381-385.
  122. *Study of the efficiency of visible-light photocatalytic degradation of Basic Blue adsorbed on pure and doped mesoporous titania films*: E.Stathatos, T.Petrova and P.Lianos, *Langmuir*, 17(2001)5025-5030.
  123. *Organic/inorganic nanocomposite gels employed as electrolyte supports in Dye-sensitized Photoelectrochemical cells*: E.Stathatos and P.Lianos, *Intern.J.Photoenergy*, 4(2002)11-16.
  124. *Photophysical behavior of a homologous series of amphiphilic hemicyanine dyes in thin AOT films*: L.K. Gallos, E. Stathatos, P. Lianos and P. Argyrakis, *Chem.Phys.*, 275(2002)253-260.
  125. *Multicolor emission from terpyridine-lanthanide ion complexes encapsulated in nanocomposite silica/poly(ethylene glycol) sol-gel matrices*: V.Bekiari and P.Lianos, *J.Lumin.* 101/1-2(2003)135-140.
  126. *Gold colloids from cationic surfactant solutions. 1. Mechanisms that control particle morphology*: E.Leontidis, K.Kleitou, T.Kyprianidou-Leodidou, V.Bekiari and P.Lianos, *Langmuir* 18(2002)3659-3668.
  127. *Photophysical studies on Terpyridine-Eu<sup>3+</sup> complexes in sol-gel nanocomposite materials*: V.Bekiari and P.Lianos, *J.Sol-gel Sci.Techn.*, 26(2003)887-890.
  128. *A sol-gel type electrolyte for a dye-sensitized solar cell: Attenuated total reflectance (ATR) vibrational spectra studies*: U.Lavrencic Stangar, B.Orel, B.Neumann, E.Stathatos and P.Lianos, *J.Sol-gel Sci.Techn.*, 26(2003)1113-1118.
  129. *In situ resonance Raman microspectroscopy of a solid state dye-sensitized photoelectrochemical cell*: U.Lavrencic Stangar, B.Orel, Ph.Colomban, E.Stathatos and P.Lianos, *J.Electrochem.Soc.*, 149(2002)E413-E423.
  130. *In situ resonance Raman studies of a dye-sensitized photoelectrochemical cell with a sol-gel electrolyte*: U.Lavrencic Stangar, B.Orel, N.Groselj, Ph.Colomban, E.Stathatos and P.Lianos, *J.New Mater.Electrochemical Systems*, 5(2002)223-231.
  131. *A high performance solid state Dye-sensitized Photoelectrochemical Cell employing a nanocomposite gel electrolyte made by the sol-gel route*: E.Stathatos, P.Lianos, U.Lavrencic Stangar and B.Orel, *Advanced Materials*, 14(2002)354-357 <http://onlinelibrary.wiley.com/doi/10.1002/1521>
  132. *Study of solid transparent nanocomposite organic/inorganic matrices and thin films by time-resolved fluorescence techniques*: P.Lianos *J.Fluorescence* 12(2002)303-310.
  133. *A Nanocomposite Gel Electrolyte Made by the Sol-Gel Route for a Solid-State Dye-Sensitized Photoelectrochemical and Electrochromic Cells*: Boris Orel, Urska Lavrencic Stangar, Angela Surca Vuk, Panagiotis Lianos, Philippe Colomban, *Materials Research Society Symposium Proceedings* 725(2002)P7.3.1-P7.3.6.



134. *Preparation of thin ureasil films with strong luminescence based on incorporated europium-thenoyltrifluoroacetone-bipyridine complexes:* R.Moleski, E.Stathatos, V.Bekiari and P.Lianos, *Thin Solid Films*, 416(2002)279-283.
135. *Photoluminescence from sol-gel organic/inorganic hybrid gels obtained through carboxylic acid solvolysis:* T.Brankova, V.Bekiari and P.Lianos, *Chem.Mater.*, 15(2003)1855-1859.
136. *Electroluminescence by a Sm<sup>3+</sup>-diketonate-phenanthroline complex:* E.Stathatos, P.Lianos, E.Evgeniou and A.D. Keramidas, *Synthetic Metals*, 139(2003)433-437. .
137. *A sensitive fluorescent sensor of lanthanide ions:* V.Bekiari, P.Judeinstein and P.Lianos, *J.Luminescence*, 104/1-2 (2003)13 - 15
138. *Development of sol-gel redox I<sub>3</sub><sup>-</sup>/I<sup>-</sup> electrolytes and their applications in hybrid electrochromic devices:* B.Orel, A.Surca-Vuk, R.Jese, P.Lianos, E.Stathatos, P.Judeinstein, Ph.Colomban, *Solid State Ionics*, 165(2003)235-246.
139. *Lasing of coumarin-153 incorporated in sol-gel nanocomposite organic/inorganic matrices:* E.Stathatos and P.Lianos, *SPIE Proceedings* 5131(2003)15.
140. *A quasi-solid-state dye-sensitized solar cell based on a sol-gel nanocomposite electrolyte containing ionic liquid:* E.Stathatos, P.Lianos, S.M.Zakeeruddin, P. Liska and M.Grätzel, *Chem.Mater.*, 15(2003)1825-1829  
<http://pubs.acs.org/doi/abs/10.1021/cm0213568>
141. *Study of acetic-acid-catalyzed nanocomposite organic/inorganic ureasil sol-gel ionic conductors:* E.Stathatos, P.Lianos, B. Orel, A. Surca Vuk, R. Jese, *Langmuir*, 19(2003)7587-7591.
142. *Optimization of quasi-solid state dye-sensitized photoelectrochemical solar cell employing a ureasil/sulfolane gel electrolyte:* E.Stathatos, P.Lianos, A . Surca Vuk and B. Orel, *Advanced Functional Materials*, 14(2004)45-48.
143. *Highly Efficient Nanocrystalline Titania Films made from Organic/Inorganic Nanocomposite Gels:* E.Stathatos, P.Lianos and C.Tsakiroglou, *Microporous.-Mesoporous Materials*, 75(2004)255-260.
144. *The unusual luminescence properties of 2,2',2'' terpyridine-metal ion complexes:* Vlasoula Bekiari and Panagiotis Lianos, *Chem.Phys.Letters* 383(2004)59-61.
145. *Use of Fluorescence Probing Techniques to Assess Molecular Mobility and Ionic Conductivity in Nanocomposite Organic/inorganic Gels:* Panagiotis Lianos, *J.Fluorescence*, 14(2004)11-15.
146. *Photodegradation of basic blue by highly efficient nanocrystalline titania films:* Panagiotis Bouras, Elias Stathatos Panagiotis Lianos and Christos Tsakiroglou, *Appl.Catal. B.*, 51(2004)275-281.
147. *Photodegradation of Basic Blue 45 dye on undoped and doped TiO<sub>2</sub> films:* I.C.Ladiu, V.Danciu, V.Cosoveanu, A.Rustoiu-Csavdari, and P.Lianos *Revue Roumaine de Chimie* 47(2002)1247-1253.
148. *Metachromatic effects and photodegradation of Basic Blue on nanocrystalline titania films:* Elias Stathatos, Panagiotis Lianos and Christos Tsakiroglou, *Langmuir*, 20(2004)9103-9107.
149. *Dye-sensitized photoelectrochemical solar cells based on nanocomposite organic-inorganic materials:* Elias Stathatos, Panagiotis Lianos, Vasko Jovanovski and Boris Orel, *J.Photochem.Photobiol. A. Chemistry* 169 (2005) 57-61

150. *Study of Poly(N,N-dimethylacrylamide)/CdS nanocomposite organic/inorganic gels*: Vlasoula Bekiari, Konstantinos Pagonis, Georgios Bokias and Panagiotis Lianos, *Langmuir*, 20(2004)7972-7975.
151. *Photodegradation of dyes in aqueous solutions catalyzed by highly efficient nanocrystalline titania films*: Panagiotis Bouras and Panagiotis Lianos, *J.Appl. Electrochem.*, 35(2005)831-836.
152. *Dinuclear versus tetranuclear cluster formation in zinc(II) nitrate/di-2-pyridyl ketone chemistry: synthetic, structural and spectroscopic studies*: Eugenia Katsoulakou, Vlasoula Bekiari, Catherine P. Raptopoulou, Aris Terzis, Panagiotis Lianos, Evy Manessi-Zoupa and Spyros P. Perlepes, *Spectrochimica Acta Part A: Mol. & Biomol.Spectroscopy*, 61(2005)1627-1638.
153. *Dye-sensitized solar cells with electrolyte based on a trimethoxysilane derivatized ionic liquid*: Vasko Jovanovski, Elias Stathatos, Boris Orel, Panagiotis Lianos, *Thin Solid Films* 511-512(2006)634-637.
154. *Electroluminescence from a volatile europium complex*: Elias Stathatos, Lefkia Panayiotidou, Panagiotis Lianos and Anastasios D. Keramidas, *Thin Solid Films*, 496/2(2006)489-493.
155. *Intrinsic photoluminescence from gels containing amine or amide chemical groups*: Vlasoula Bekiari and Panagiotis Lianos, *J.Nanoscience and Nanotechnology*, 6(2006)372-376.
156. *A Novel Polysilsesquioxane-I2/I3- ionic electrolyte for dye-sensitized photoelectrochemical cells*: Vasko Jovanovski, Boris Orel, Robi Jese, Angela Surca Vuk, Gregor Mali, Joze Grdadolnik, Adolf Jesih, Elias Stathatos and Panagiotis Lianos, *J.Phys.Chem. B*, 109(2005)14387-14395.
157. *Positively charged polysilsesquioxane/iodide ionic liquid as a quasi solid state redox electrolyte for dye-sensitized photoelectrochemical cells : Infrared, <sup>29</sup>Si NMR and electrical studies*: Vasko Jovanovski, Boris Orel, Robi Jese, Gregor Mali, Elias Stathatos and Panagiotis Lianos, *Intern.J.Photoenergy* (2006) Art.23703.
158. *Enhanced photoluminescence from films made by titanium isopropoxide, Eu<sup>3+</sup> ions and thenoyltrifluoroacetone blend*: Elias Stathatos and Panagiotis Lianos, *Chem.Phys.Letters* 417(2006)406-409.
159. *Ureasil gels as highly efficient adsorbent for water purification*: Vlasoula Bekiari and Panagiotis Lianos, *Chemistry of Materials*, 18(2006) 4142-4146.
160. *Dinuclear lanthanide(III) complexes from the use of di-2-pyridyl ketone : Preparation, structural characterization and spectroscopic studies*: Katerina A. Thiakou, Vlasoula Bekiari, Catherine P. Raptopoulou, Vassilis Psycharis, Panagiotis Lianos and Spyros P. Perlepes, *Polyhedron* 25(2006)2869-2879.
161. *Pure versus metal-ion-doped nanocrystalline titania for photocatalysis*: Panagiotis Bouras, Elias Stathatos and Panagiotis Lianos, *Applied Catalysis B. Environmental* 73(2007)51-59 <http://dx.doi.org/10.1016/j.apcatb.2006.06.007>
162. *Photophysical behavior of terpyridine-lanthanide-ion complexes incorporated in a Poly(N,N-dimethylacrylamide) hydrogel*: Vlasoula Bekiari and Panagiotis Lianos, *Langmuir*, 22(2006)8602-8606.
163. *Study of the conditions affecting dye adsorption on titania films and of their effect on dye photodegradation rates*: Nikoleta Strataki, Vlasoula Bekiari and Panagiotis Lianos, *Journal of Hazardous Materials* 146(2007)514-519.
164. *Highly efficient photoluminescent films made by mixing, Aminopropyltriethoxysilane, Eu<sup>3+</sup> ions and Thenoyltrifluoroacetone*: Elias

- Stathatos and Panagiotis Lianos, Applied Physics Letters 90(2007)061110 and Virtual Journal of Nanoscale Science & Technology February 19, 2007
165. *Dye-sensitized solar cells based on nanocrystalline titania electrodes made at various sintering temperatures* : Elias Stathatos and Panagiotis Lianos, J.Nanoscience and Nanotechnology, 7(2007)555-559.
  166. *Increase of the efficiency of Quasi-Solid State Dye-sensitized Solar Cells by a synergy between titania nanocrystallites of two distinct nanoparticle sizes*: Elias Stathatos and Panagiotis Lianos, Advanced Materials, 19(2007)3338-3341.
  167. Use of Ureasil gels to extract ions from aqueous solutions: Vlasoula Bekiari and Panagiotis Lianos, Journal of Hazardous Materials, 147(2007)184-187.
  168. *Lecithin Organogels Used as Bioactive Compounds Carriers. A Microdomain Properties Investigation*: Spyridon Avramiotis, Vassiliki Papadimitriou, Elina Hatzara, Vlasoula Bekiari, Panagiotis Lianos and Aris Xenakis, Langmuir 23(2007)4438-4447
  169. *Effect of aggregation of dyes adsorbed on nanocrystalline titania films on the efficiency of photodegradation*: Nikoleta Strataki, Vlasoula Bekiari, Elias Stathatos and Panagiotis Lianos, J.Photochem.Photobiol., 191(2007)13-18.
  170. *Dye-sensitized solar cells made by using a polysilsesquioxane polymeric ionic fluid as redox electrolyte*: Elias Stathatos, Vasko Jovanovski, Boris Orel, Ivan Jerman and Panagiotis Lianos, J.Phys.Chem. C, 111(2007)6528-6532.
  171. *Structure and photophysical behavior of 2,2'-bipyrimidine/lanthanide ion complexes in various environments*: Vlasoula Bekiari, Katerina A.Thiakou, Catherine P. Raptopoulou, Spyros P. Perlepes and Panagiotis Lianos, J.Luminescence, 128(2008)481-488.
  172. *Hydrogen production by photocatalytic alcohol reforming employing highly efficient nanocrystalline titania films*: Nikoleta Strataki, Vlasoula Bekiari, Dimitris I. Kondarides and Panagiotis Lianos, Appl.Catal.B. Environmental, 77(2007)184-189 <http://dx.doi.org/10.1016/j.apcatb.2007.07.015>
  173. *Use of poly(N,N-dimethylacrylamide-co-sodium acrylate) hydrogel to extract cationic dyes and metals from water*: Vlasoula Bekiari, Maria Sotiropoulou, Georgios Bokias and Panagiotis Lianos, Colloids and Surfaces A: Physicochemical and Engineering Aspects, 312(2008)214-218.
  174. *Photoluminescence and Electroluminescence by Gallium(III) complexes of N-Salicylidene-o-aminophenol and its Derivatives*: Adamadia Kagkelari, Vlasoula Bekiari, Elias, Stathatos, Giannis S. Papaefstathiou, Catherine P. Raptopoulou, Theodoros F. Zafiropoulos and Panagiotis Lianos, J.Luminescence, 129(2009)578-583.
  175. *Optimization of parameters for hydrogen production by photocatalytic alcohol reforming in the presence of Pt/TiO<sub>2</sub> nanocrystalline thin films*: Nikoleta Strataki and Panagiotis Lianos, J.Adv.Oxid.Technol. 11(2008)111-115.
  176. *Gas-phase photocatalytic degradation of 2,4,6-Trichloroanisole in the presence of a nanocrystalline Titania film. Applications to the treatment of cork stoppers*: Panagiotis Vlachos, Elias Stathatos, Gerasimos Lyberatos and Panagiotis Lianos, Catalysis Communications, 9(2008)1987-1990.
  177. *Nanocrystalline Titania films as Photocatalyst for Hydrogen production. Background and Prospects*: P.Lianos, Advanced Science Letters, 1(2008)128-131.

178. *Synergy effect in the combined photodegradation of an azo dye by titanium dioxide photocatalysis and Photo-Fenton oxidation:* Panagiotis Bouras and Panagiotis Lianos *Catalysis Letters* 123(2008)220-225.
179. *Adsorption of dyes on Sahara desert sand:* Canan Varlikli, Vlasoula Bekiari, Mahmut Kus, Numan Boduroglu, Ilker Oner, Panagiotis Lianos, Gerasimos Lyberatos, Siddik Icli, *J.Hazardous Materials*, 170(2009)27-34.
180. *Ehhancement of the photodegradation of methylene blue by combined Titania photocatalyst and Photo-Fenton:* Panagiotis Bouras, Panagiotis Lianos and Dionysios Dionysiou, *Journal of Advanced Oxidation Technologies*, 11(2008)463-467.
181. *Photodegradation of the herbicide Azimsulfuron using nanocrystalline Titania films as photocatalyst and low intensity Black Light Radiation or Simulated Solar radiation as excitation source:* Katerina Pelentridou, Elias Stathatos, Eleni Karasali, Panagiotis Lianos, *Journal of Hazardous Materials*, 163(2009)756-760.
182. *Hydrogen and Electricity generation by photoelectrochemical decomposition of ethanol over nanocrystalline Titania:* Maria Antoniadou, Panagiotis Bouras, Nikoleta Strataki and Panagiotis Lianos, *International Journal of Hydrogen Energy*, 33(2008)5045-5051.
183. *Photoelectrochemical oxidation of organic substances and electricity generation in the presence of nanocrystalline titania photocatalyst:* Maria Antoniadou and Panagiotis Lianos, *J.Nanoscience and Nanotechnology* 10(2010)6240-6244.
184. *Photocatalytic degradation of a water soluble herbicide by pure and noble-metal deposited TiO<sub>2</sub> nanocrystalline films:* Katerina Pelentridou, Elias Stathatos, Eleni Karassali, Dionysios D.Dionysiou and Panagiotis Lianos, *International Journal of Photoenergy* (2008) doi:10.1155/2008/978329
185. *A new precursor for the preparation of nanocrystalline TiO<sub>2</sub> films and their photocatalytic properties:* Katerina Pelentridou, Elias Stathatos, Panagiotis Lianos and Vassilios Drakopoulos, *J.Nanoscience and Nanotechnology* 10(2010)6093-6098
186. *Photocatalytic and photoelectrochemical hydrogen production by photodegradation of organic substances:* Panagiotis Lianos, Nikoleta Strataki and Maria Antoniadou, *Pure and Applied Chemistry*, 81(2009)1441-1448.
187. *Near Ultraviolet and Visible light photoelectrochemical degradation of organic substances producing electricity and hydrogen:* Maria Antoniadou and Panagiotis Lianos, *J. of Photochemistry and Photobiology A: Chemistry* 204(2009)69-74.
188. *Photooxidation products of ethanol during photoelectrochemical operation using a nanocrystalline titania anode and a two compartment chemically biased cell:* Maria Antoniadou, Dimitris I. Kondarides and Panagiotis Lianos, *Catalysis Letters*, 129(2009)344-349.
189. *Effect of the conditions of platinum deposition on titania nanocrystalline films on the efficiency of photocatalytic oxidation of ethanol and production of hydrogen:* Nikoleta Strataki, Nikolaos Boukos, Fotis Paloukis, Stylianos G. Neophytides and Panagiotis Lianos, *Photochem.Photobiol.Sci.* 8(2009)639-643.
190. *Photoelectrochemical oxidation of organic substances over nanocrystalline Titania. Optimization of the photoelectrochemical cell:* Maria Antoniadou and Panagiotis Lianos, *Catalysis Today*, 144(2009)166-171.
191. *Initial use of 1-hydroxybenzotriazole in the chemistry of group 12 metals: An 1D zinc (II) coordination polymer and a mononuclear cadmium(II) complex containing the deprotonated ligand in a novel monodentate ligation mode:* Athanassios D.

- Katsenis, Nikolia Lalioti, Vlasoula Bekiari, Panagiotis Lianos, Catherine P. Raptopoulou, Aris Terzis, Spyros P. Perlepes, Giannis S. Papaefstathiou, *Inorganic Chemistry Communications*, 12(2009)92-96.
192. *An efficient photoelectrochemical cell functioning in the presence of organic wastes*: Maria Antoniadou, Dimitris I. Kondarides, Diamantoula Labou, Stylianos Neophytides and Panagiotis Lianos, *Solar Energy Materials and Solar Cells*, 94(2010)592-597.
193. *Cost-effective dye-sensitized solar cells based on commercial nanocrystalline titania and a ureasil gel electrolyte*: Maria Antoniadou and Panagiotis Lianos, *European Physics Journal-Applied Physics*, 51(2010)33211(4 pages).
194. *A round robin study of flexible large area roll-to-roll processed polymer solar cell modules*: Frederik C. Krebs, Suren A. Gevorgyan, Bobak Gholamkhash, Steven Holdcroft, Cody Schlenker, Mark E. Thompson, Barry C. Thompson, Dana Olson, David S. Ginley, Sean E. Shaheen, Husam N. Alshareef, John W. Murphy, W. Justin Youngblood, Nathan C. Heston, John R. Reynolds, Shijun Jia, Darin Laird, Sachetan M. Tuladhar, Justin G. A. Dane, Pedro Atienzar, Jenny Nelson, Jan M. Kroon, Martijn M. Wienk, René A. J. Janssen, Kristofer Tvingstedt, Fengling Zhang, Mattias Andersson, Olle Inganäs, Monica Lira-Cantu, Rémi de Bettignies, Stéphane Guillerez, Tom Aernouts, David Cheyns, Laurence Lutsen, Birger Zimmermann, Uli Würfel, Michael Niggemann, Hans-Frieder Schleiermacher, Paul Liska, Michael Grätzel, Panagiotis Lianos, Eugene A. Katz, Wolfgang Lohwasser and Bertrand Jannon, *Solar Energy Materials and Solar Cells* 93(2009)1968-1977.
195. *Study of hybrid solar cells made of multilayer nanocrystalline titania and poly(3-octylthiophene) or poly-(3-(2-methylhex-2-yl)-oxy-carbonyldithiophene)*: Maria Antoniadou, Elias Stathatos, Nikolaos Boukos, Andreas Stefopoulos, Joannis Kallitsis, Frederik C. Krebs and Panagiotis Lianos, *Nanotechnology* 20(2009) Art.No.495201
196. *Visible-light photocatalytic hydrogen production from ethanol-water mixtures using a Pt-CdS-TiO<sub>2</sub> photocatalyst*: Nikoleta Strataki, Maria Antoniadou, V.Dracopoulos and Panagiotis Lianos, *Catalysis Today* 151(2010)53-57.
197. *TiO<sub>2</sub>-based advanced oxidation nanotechnologies for water purification and reuse*: Hyeok Choi, Souhail R.Al-Abed, Dionysios D.Dionysiou, Elias Stathatos and Panagiotis Lianos, *Sustainability Science and Engineering* 2(2010)229-254.
198. *Solar Light-Responsive Pt/CdS/TiO<sub>2</sub> Photocatalysts for Hydrogen Production and Simultaneous Degradation of Inorganic or Organic Sacrificial Agents in Wastewater*: Vasileia M. Daskalaki, Maria Antoniadou, Gianluca Li Puma, Dimitris I. Kondarides, and Panagiotis Lianos, *Environmental Science and Technology* 44 (2010) 7200-7205
199. *Production of electricity by photoelectrochemical oxidation of ethanol in a PhotoFuelCell*: Maria Antoniadou and Panagiotis Lianos, *Applied Catalysis B: Environmental*, 99 (2010)307-313.
200. *Solid-state Dye-sensitized Solar Cells made of multilayer nanocrystalline Titania and Poly(3-hexylthiophene)*: Nikolaos Balis, Vassilios Dracopoulos, Maria Antoniadou and Panagiotis Lianos, *J.Photochem.Photobiol. A: Chemistry*, 214(2010)69-73.
201. *Poly(sodium acrylate) hydrogels as potential pH-sensitive sorbents for removal of model organic and inorganic pollutants from water*: Vlasoula Bekiari and Panagiotis Lianos, *Global Nest Journal*, 12(2010)262-269.

202. *Aldol condensation products during photocatalytic oxidation of ethanol in a photoelectrochemical cell*: Paraskevi Panagiotopoulou, Maria Antoniadou, Dimitris I. Kondarides and Panagiotis Lianos, *Appl.Catal. B: Environ.*, 100(2010)124-132.
203. *A Photoactivated Fuel Cell used as an Apparatus that Consumes Organic Wastes to Produce Electricity*: Maria Antoniadou and Panagiotis Lianos, *Photochemical and Photobiological Science* 10(2011)431-435.
204. *Enhanced photon harvesting in Silicon multicrystalline solar cells by new lanthanide complexes as light concentrators*: Giannis Katsagounos, Elias Stathatos, Nikos B.Arabatzis, Anastasios D.Keramidas and Panagiotis Lianos, *J.Luminescence* 131 (2011) 1776–1781.  
<http://dx.doi.org/10.1016/j.jlumin.2011.04.023>
205. *A quasi solid-state dye-sensitized solar cell made of polypyrrole counter electrodes*: Theodoros Makris, Vassilios Dracopoulos, Thomas Stergiopoulos and Panagiotis Lianos, *Electrochimica Acta* 56(2011)2004-2008.
206. *Production of electricity and hydrogen by photocatalytic degradation of organic wastes in a Photoelectrochemical cell. The concept of the Photo-Fuel-Cell. A review of a re-emerging research field*: Panagiotis Lianos, *J.Hazardous Materials*, 185(2011)575-590 <http://dx.doi.org/10.1016/j.jhazmat.2010.10.083>
207. *A solid state hybrid solar cell made of nc-TiO<sub>2</sub>, CdS quantum dots and P3HT with 2-amino-1-methylbenzimidazole as interface modifier*: Nikolaos Balis, Vassilios Dracopoulos, Elias Stathatos, Nikolaos Boukos and Panagiotis Lianos, *J.Phys.Chem.C* 115(2011)10911-10916.
208. *Photocatalysis and photoelectrocatalysis using (CdS-ZnS)/TiO<sub>2</sub> combined photocatalysts*: Maria Antoniadou, Vasileia M. Daskalaki, Nikolaos Balis, Dimitris I. Kondarides, Christos Kordulis and Panagiotis Lianos, *Appl.Catal B: Environ.* 107(2011)188-196 [doi:10.1016/j.apcatb.2011.07.013](http://dx.doi.org/10.1016/j.apcatb.2011.07.013)
209. *Quasi-Solid-State Dye-sensitized Solar Cells made with poly(3,4-ethylenedioxythiophene) (PEDOT)-functionalized counter electrodes*: Nikolaos Balis, Theodoros Makris, Vassilios Dracopoulos, Thomas Stergiopoulos and Panagiotis Lianos, *J.Power Sources*, 203(2012)302-307  
<http://dx.doi.org/10.1016/j.jpowsour.2011.12.021>
210. *Photocatalysis and photoelectrocatalysis using nanocrystalline titania alone or combined with Pt, RuO<sub>2</sub> or NiO co-catalysts*: Maria Antoniadou, Paraskevi Panagiotopoulou, Dimitris I.Kondarides and Panagiotis Lianos, *J.Appl.Electrochem.*, 42 (2012)737–743  
<http://link.springer.com/article/10.1007%2Fs10800-012-0408-2>
211. *One-step electrodeposition of polypyrrole applied as oxygen reduction electrocatalyst in Photoactivated Fuel Cells*: Nikolaos Balis, Vassilios Dracopoulos, Maria Antoniadou and Panagiotis Lianos, *Electrochimica Acta* 70(2012)338– 343 <http://dx.doi.org/10.1016/j.electacta.2012.03.086>
212. *Quantum dot sensitized titania applicable as photoanode in photoactivated fuel cells*: Maria Antoniadou, Dimitris I. Kondarides, Dionysios D.Dionysiou, Panagiotis Lianos, *J.Phys.Chem.*, 116(2012)16901-16909  
<http://pubs.acs.org/doi/abs/10.1021/jp305098m>
213. *The use of polyurethane as encapsulating method for polymer solar cells. An inter laboratory study on outdoor stability in 8 countries*: Roar R.Søndergaard,

- Theodoros Makris, Panagiotis Lianos, Assaf Manor, Eugene A.Katz, Wei Gong, Sachetan M.Tuladhar, Jenny Nelson, Ralf Tuomi, Paul Sommeling, Sjoerd C. Veenstra, Agnes Rivaton, Aurelie Dupuis, Gerardo Teran-Escobar, Monica Lira-Cantu, Subarna B. Sapkota, Birger Zimmermann, Uli Wurfel, Andreas Matzarakis, Frederik C.Krebs *Solar Energy Materials and Solar Cells* 99(2012)292-300 <http://www.sciencedirect.com/science/article/pii/S0927024811006945>
214. *Synthesis, crystal structure and luminescence of novel Eu<sup>3+</sup>, Sm<sup>3+</sup> and Gd<sup>3+</sup> complexes of 1,3,5- and 1,2,4-Triazines*: Lefkia Panayiotidou, Marios Stylianou, Nikos Arabatzis, Chryssoula Drouza, Panagiotis Lianos, Elias Stathatos, Anastasios D.Keramidas, *Polyhedron* 52(2013)856-865 <http://dx.doi.org/10.1016/j.poly.2012.07.029>
215. *Buckypaper as Pt-free cathode electrode in photoactivated fuel cells*: Stavroula Sfaelou, Maria Antoniadou, Georgios Trakakis, Vassilios Dracopoulos, Dimitrios Tasis, John Parthenios, Constantinos Galiotis, Konstantinos Papagelis, Panagiotis Lianos, *Electrochimica Acta*, 80(2012)399-404. <http://dx.doi.org/10.1016/j.electacta.2012.07.046>
216. *Quantum dot sensitized solar cells based on an optimized combination of ZnS, CdS and CdSe with CoS and CuS counter electrodes*: Nikolaos Balis, Vassilios Dracopoulos, Kyriakos Bourikas and Panagiotis Lianos, *Electrochimica Acta* 91 (2013) 246– 252 <http://dx.doi.org/10.1016/j.electacta.2013.01.004>
217. *Solar energy conversion using photo-fuel-cells*: Maria Antoniadou, Changseok Han, Stavroula Sfaelou, Melpomeni Michailidi, Dionysios D.Dionysiou and Panagiotis Lianos, *Science of Advanced Materials*, in press.
218. *Photocatalytic oxidation of ethanol using undoped and Ru-doped titania: Acetaldehyde, hydrogen or electricity generation*: Maria Antoniadou, Vincenzo Vaiano, Diana Sannino and Panagiotis Lianos, *Chemical Engineering Journal*, in press <http://dx.doi.org/10.1016/j.cej.2012.09.104>
219. *Quantum dot sensitized titania as visible-light photocatalyst for solar operation of photoactivated fuel cells*: Stavroula Sfaelou, Maria Antoniadou, Vassilios Dracopoulos, Kyriakos Bourikas, Dimitris I. Kondarides and Panagiotis Lianos, submitted.
220. *Structural and stability studies on quantum dot sensitized solar cells*: Stavroula Sfaelou, Nikolaos Balis, Vassilios Dracopoulos and Panagiotis Lianos, submitted.
221. *Photo-fuel cells. An alternative route for solar energy conversion*: Maria Antoniadou and Panagiotis Lianos, submitted.
222. *Micro-Raman, photoluminescence and photocurrent studies on the photostability of quantum dot sensitized photoanodes*: Stavroula Sfaelou, Athanassios G. Kontos, Polycarpos Falaras and Panagiotis Lianos, submitted.
223. *Composite ZnSe-CdSe quantum dot sensitizers of solid state solar cells and the beneficial effect of added Na<sub>2</sub>S*: Georgia Sfyri, Stavroula Sfaelou, Nikolaos Balis and Panagiotis Lianos, submitted.
224. *Platinum-free photoelectrochemical water splitting*: Maria Antoniadou, Stavroula Sfaelou, Vassilios Dracopoulos, Panagiotis Lianos, submitted





## SHORT PAPERS OR ABSTRACTS PUBLISHED IN INTERNATIONAL CONFERENCE PROCEEDINGS

- (1) **Effective polarity of the interior of artificial membranes probed by the fluorophore pyrene:** P.Lianos and S.Georghiou, *Biophys.J.* 25(1979)A63
- (2) **Pyrene-nucleotides complexes:** P.Lianos and S.Georghiou, *Biophys.J.* 21(1978)A192
- (3) **Microenvironment of aromatic hydrocarbons employed as fluorescent probes of liposomes:** P.Lianos and S.Georghiou, *Federation Proceedings* 39(1980)2190
- (4) **Fluorescence probe studies of micellar solutions and oil-in-water microemulsions:** R.Zana, J.Land and P.Lianos, *ACS Abstracts* 185(1983)114-coll.
- (5) **Fluorescence studies of the aggregation state of sodium dodecylsulfate in aqueous solutions of polyoxyethylene glycol and poly-N-vinylpyrrolidone:** R.Zana, J.Land and P.Lianos, *ACS Abstracts* 183(1982)119-Poly.
- (6) **Micellar properties of alkyltrimethylammonium hydroxides in aqueous solution:** R.Zana and P.Lianos, *ACS Abstracts* 186(1983) 139-Coll.
- (7) **Fluorescence probe study of oil-in-water microemulsions:** R.Zana, J.Lang and P.Lianos, *ACS Abstracts* 186(1983) 80-Inde.
- (8) **Luminescence probe study of water-in-oil microemulsions:** P.Lianos, R.Zana, J.Lang and A.M.Cazabat, "5<sup>th</sup> International Symposium on Surfactants in Solution", Bordeaux-Talence, France, 9-13 July 1984.
- (9) **Fractal modelling of luminescence quenching in microemulsions:** P.Lianos, "First Conference of the European Colloid and Interface Society", Como, Italy Sept. 2-4, 1987.
- (10) **Electric percolation in relation with the fractal modelling of luminescence quenching in water-in-oil microemulsions:** S.Modes, P.Lianos, A.Xenakis and A.Malliaris, "Congress on applications of new trends in colloid and surfactant science", 5-8 June 1989 Torino, Italy.
- (11) **Luminescence probe study of microemulsions treated as fractal objects:** P.Lianos, "NATO Advanced Study Institute on Structure, Dynamics and Equilibrium Properties of Colloidal Systems", Aberystwyth, Wales, 10-23 Sept. 1989.
- (12) **Effect of concentration and temperature on the fractal behavior of luminescence quenching in microemulsions and lipid vesicles:** P.Lianos and G.Duportail, "IV European Colloid and Interface Society Conference", Catanzaro, Italy, 24-27 Sept. 1990.
- (13) **Effect of water-soluble polymers on water-in-oil microemulsions. A luminescence and light-scattering study:** P.Lianos and W.Brown, "International Conference on Surface and Colloid Science", Compiègne, France, 7-13 July 1991.
- (14) **Sol-gel method for the formation of SiO<sub>2</sub> and TiO<sub>2</sub> gels. Use of inverted micelles to control hydrolysis and gelation rates:** P.Lianos and D.Papoutsis, "VI European Colloid and Interface Society Conference", Gratz, Austria, 21-25 Sept. 1992.
- (15) **Sol-gel method for producing optically active glasses: Photophysical properties of organic dyes encapsulated in transparent SiO<sub>2</sub> matrices:**

- P.Lianos, "International symposium on glass science and technology" 6-8 Oct. 1993, Athens, Greece.
- (16) **A fractal model for diffusional processes in restricted geometries- Application to water-in-oil microemulsions:** P.Lianos and P.Argyarakis ACS Abstracts 206(1993) 72-Coll
  - (17) **Effect of polyethyleneglycol of varying chain length on cyclohexanepentanol-sodium dodecylsulfate water-in-oil microemulsions:** D.Papoutsi, W.Brown and P.Lianos "VII European Colloid and Interface Society Conference", Bristol, England, 12-16 Sept. 1993.
  - (18) **TiO<sub>2</sub> Microemulsion Gels obtained by the Sol-gel method:** P.Lianos and D.papoutsi, "VII European Colloid and Interface Society Conference", Bristol, England, 12-16 Sept. 1993.
  - (19) **Fluorescence in restricted geometries:** P.Lianos, "Eurolights I. Light on Organized Molecular Systems", Thessaloniki, Greece, 7-11 Nov. 1994.
  - (20) **Photophysical studies of pyrene solubilized in surfactant thin films on glass substrates:** D.Papoutsi and P.Lianos, "Eurolights I. Light on Organized Molecular Systems", Thessaloniki, Greece, 7-11 Nov. 1994.
  - (21) **Diffusion restreinte en milieu membranaire. Analyse fractale de reactions d'inhibition de fluorescence:** G.Duportail & P.Lianos, "Organization et Dynamique Fonctionnelles de Biomembranes", Toulouse, France 25-29 Sept. 1995.
  - (22) **Nanocrystallite titanium dioxide films made by the sol-gel method using reverse micelles as precursor solution:** E.Stathatos, P.Lianos, F.DelMonte and D.Levy, "8<sup>th</sup> International Workshop on Glasses and Ceramics from Gels". Faro, Portugal, 18-22 Sept. 1995.
  - (23) **Photophysical properties of a surfactant hemicyanine dye in aot thin films:** E.Stathatos and P.Lianos, "Eurolights II. Light on Organized Molecular Systems", Hengelhof, Belgium, 4-8 Dec. 1995.
  - (24) **Photophysical studies in thin surfactant films:** D.Papoutsi and P.Lianos, "Eurolights II. Light on Organized Molecular Systems", Hengelhof, Belgium, 4-8 Dec. 1995.
  - (25) **Synthesis of nanostructured TiO<sub>2</sub> films by the Sol-gel method using reverse micelles:** V.Bekiari, E.Stathatos, P.Lianos and D.Tsiourvas, "NATO ARW, Nanoparticles in Solids and in Solutions", Szeged, Hungary, 8-13 March 1996.
  - (26) **Characterization and properties of a nanostructured titania film made by hydrolysis of titanium isopropoxide in Triton X-100 reverse micelles:** E.Stathatos, V.Bekiari, P.Lianos, F.DelMonte, D.Levy and D.Tsiourvas, "NATO ARW, Nanoparticles in Solids and in Solutions", Szeged, Hungary, 8-13 March 1996.
  - (27) **Diffusion restreinte en milieu membranaire. Analyse fractale de reactions d'inhibition de fluorescence:** G.Duportail, P.Lianos & F.Merola, "SOLEIL", Centre Universitaire Paris-Sud, Orsay, France, 2-5 Avr. 1996.
  - (28) **Photophysical properties of a surfactant hemicyanine dye in solution and in thin film and photoconductivity studies on an ITO-TiO<sub>2</sub> electrode:** P.Lianos, E.Stathatos and A.Laschewsky, "Third European Conference on Molecular Electronics. ECME 96", Leuven, Belgium, 1-6 Sept. 1996.
  - (29) **Aerosol OT thin films made from reverse micelles. Applications as hosts of biological macromolecules:** V.Bekiari, P.Lianos, S.Avraniotis and A.Xenakis,

- “10<sup>th</sup> Conference of the European Colloid and Interface Society. ECIS 96”, Åbo, Finland, Sept. 2-6, 1996.
- (30) **Silica-surfactant composite matrices and thin films:** V.Bekiari, M.Ferrer and P.Lianos, “9<sup>th</sup> International Workshop on Glasses, Ceramics, Hybrids and Nanocomposites from Gels”, Sheffield, UK, 31 Aug. -5 Sept. 1997.
- (31) **Silica-surfactant composite thin films as substrates for controlled release of active ingredients:** M.Ferrer, V.Bekiari and P.Lianos, “9<sup>th</sup> International Conference on Surface and Colloid Science”, Sofia, Bulgaria, 6-12 July, 1997.
- (32) **Formation of TiO<sub>2</sub> mesoporous films using reverse micelles as precursor solutions:** E.Stathatos, P.Lianos, F.Del Monte, D.Levy and D.Tsiourvas, “9<sup>th</sup> International Conference on Surface and Colloid Science”, Sofia, Bulgaria, 6-12 July, 1997.
- (33) **Photophysical properties of an amphiphilic hemicyanine dye incorporated in sol-gel made composite silica-organic matrices:** D.-D.Papakonstantinou, P.Lianos and A.Laschewsky, “4<sup>th</sup> European Conference on Molecular Electronics”, Cambridge, England, 7-10 Sept. 1997.
- (34) **Improvement of the emission properties of sol-gel made silica containing Eu<sup>3+</sup> in the presence of poly(ethylene glycol)-200:** V.Bekiari, G.Pistolis and P.Lianos, “4<sup>th</sup> European Conference on Molecular Electronics”, Cambridge, England, 7-10 Sept. 1997.
- (35) **Monochromatic light emission from laser dyes incorporated in thin surfactant films:** E.Stathatos, P.Lianos and S.Couris, “4<sup>th</sup> European Conference on Molecular Electronics”, Cambridge, England, 7-10 Sept. 1997.
- (36) **Spectral narrowing in the emission of Rhodamine 6G incorporated in thin surfactant films:** E.Stathatos, S.Couris and P.Lianos, “2<sup>nd</sup> Greek-Italian International Conference on New Laser Technology and Applications”, Ancient Olympia, Greece, 1-4 June 1997.
- (37) **Interpolymer complex formation through successive hydrogen bonding. The contribution of hydrophobic interactions:** K.Karayanni, Y.Mylonas, G.Staikos, M.Koussathana and P.Lianos, “7<sup>th</sup> European Student Conference on Physical and Colloid Chemistry”, Eibergen, Netherlands, May 20-23, 1997.
- (38) **Association of acrylamide and n-isopropylamide copolymers with ionic surfactants:** G.Staikos, K.Karayanni, Y.Mylonas, P.Lianos and M.Koussathana, Meeting on Associating Polymers 1997, Abbay Royal de Fontevraud, France, Nov. 24-28, 1997.
- (39) **Formation of titania nanoparticle films from gels by the sol-gel method using organized organic molecular phase as substrate:** D-D.Papakonstantinou, P.Lianos and D.Tsiourvas, 12<sup>th</sup> Conference of the European Colloid and Interface Society, Dubrovnik-Cavtat, Croatia, Sept. 20-25, 1998.
- (40) **Formation of thin mesoporous titanium dioxide films on glass substrates using reverse micelles. Application to photocatalytic degradation of adsorbed dyes:** E.Stathatos, P.Lianos and D.Tsiourvas, European Research Conference on Reactivity in Organized Microstructures, Wiesbaden-Naurod, Germany, 18-23 July 1998.
- (41) **Photophysical properties of inert and functionalized polymer thin films doped with laser dyes:** J.Huang and P.Lianos, Electrooptical Properties of Polymers and Related Phenomena, Varena, Italy, 13-18 Sept. 1998.

- (42) **The role of poly(ethylene glycol) oligomers in stabilizing europium-bipyridyl complexes and the subsequent enhancement of luminescence emission:** V.Bekiari and P.Lianos, *Electrooptical Properties of Polymers and Related Phenomena*, Varena, Italy, 13-18 Sept. 1998.
- (43) **Use of poly(ethyleneglycol) oligomers to stabilize lanthanide-bipyridyl complexes and obtain highly efficient luminescence materials:** V.Bekiari and P.Lianos, *Water-soluble Polymers*, European Network Meeting, Patras, Greece, 10-11 Oct. 1998.
- (44) **Complex formation between poly(N-isopropyl acrylamide) and ionic surfactants. Influence of the molecular weight of the polymer:** Y.Mylonas, G.Staikos and P.Lianos, *Water-soluble Polymers*, European Network Meeting, Patras, Greece, 10-11 Oct. 1998.
- (45) **Titanium dioxide nanoparticle films made by using poly(ethylene glycol) oligomers as templates:** E.Stathatos, P.Lianos and P.Falaras, "14<sup>th</sup> Conference of the European Colloid and Interface Society- ECIS 2000", Patras, Greece, 17-22 Sept. 2000.
- (46) **Enhancement of weak radiative transitions of Eu<sup>3+</sup> in thin surfactant films in the presence of PMMA:** J.Huang, V.Bekiari and P.Lianos, "14<sup>th</sup> Conference of the European Colloid and Interface Society- ECIS 2000", Patras, Greece, 17-22 Sept. 2000.
- (47) **Studies on hybrid organic/inorganic nanocomposite gels by using photoluminescence techniques:** V.Bekiari, E.Stathatos, P.Lianos, U.Lavrencic-Stangar, B.Orel and P.Judeinstein, "COST-518 Workshop, Molecular Materials and Functional Polymers for Advanced Devices", Patras, Greece, 22-25 June 2000.
- (48) **High photoluminescence quantum yield and laser action in oligophenylenes:** E.Stathatos, M.Ciaris, K.Gravalos and P.Lianos, "COST-518 Workshop, Molecular Materials and Functional Polymers for Advanced Devices", Patras, Greece, 22-25 June 2000.
- (49) **Development of I<sup>-</sup>/I<sub>3</sub><sup>-</sup> conducting ormolytes:** U.Lavrencic-Stangar, N.Groselj, B.Orel, E.Stathatos and P.Lianos, "COST-518 Workshop, Molecular Materials and Functional Polymers for Advanced Devices", Patras, Greece, 22-25 June 2000.
- (50) **High-yield luminescent materials obtained by combining terpyridine, metal cations (including lanthanides) and poly(ethylene glycol):** V.Bekiari and P.Lianos, "Supramolecular Chemistry: Reactivity and Catalysis in Supramolecular Systems", Urbino, Italy, 31 August - 5 September 2000.
- (51) **Hybrid inorganic/organic gels and their use as electrolyte supports in Dye-sensitized Photoelectrochemical cells:** E.Stathatos, P.Lianos, N.Groselj, U.Lavrencic Stangar and B.Orel, "Solar Energy and Applied Photochemistry, SOLAR '01", Cairo, Egypt, 3-8 April 2001.
- (52) **Photophysical studies in sol-gel nanocomposite materials:** V.Bekiari and P.Lianos, "XI International Workshop on Glasses Ceramics, Hybrids and Nanocomposites from Gels- Sol-gel 2001" Padova, Italy, 16-21 September 2001.
- (53) **Dye-sensitized solar cell with a sol-gel type electrolyte:** N.Groselj, U.Lavrencic Stangar, B.Orel, E.Stathatos and P.Lianos, "4<sup>th</sup> International

- Symposium on New Materials for Electrochemical Systems”, Montreal, Canada, July 9-13, 2001.
- (54) **Photocatalytic degradation of volatile organic compounds and polychlorinated biphenyls with TiO<sub>2</sub>. Development of a solid phase microextraction method:** M.Economou, N.Moratis, P.Falaras, P.Lianos, A.Hiskia and E.Papaconstantinou, “6<sup>th</sup> FIGIPS Meeting in Inorganic Chemistry”, Barcelona, Spain, July 15-20, 2001.
- (55) **Dye-sensitized photoelectrochemical solar cell employing a hybrid organic-inorganic gel as electrolyte support:** E.Stathatos, P.Lianos, U.Lavrencic Stangar and B.Orel, “Photovoltaic devices-High Efficiency Solar Cells, EURESCO”, Tomar, Portugal, 8-13 Sept. 2001.
- (56) **Organic ligand-lanthanide ion complexes as light sources:** P.Lianos, E.Stathatos and A.Keramidas, “1<sup>st</sup> European meeting on the Science and Technology of Light Sources”, Toulouse, France, 3-4 June 2002.
- (57) **Lasing of coumarin-153 incorporated in sol-gel nanocomposite organic/inorganic matrices:** E.Stathatos and P.Lianos, “3<sup>rd</sup> Gr-I International Conference on New Laser Technologies and Applications”, Patras, Greece 5-8 Sept. 2002.
- (48) **Dye-sensitized Photoelectrochemical Solar Cells based on nanocomposite organic/inorganic gels:** E.Stathatos, B.Orel and P.Lianos “Discussion Meeting on Functional Mechanism in Organic and Dye Sensitised Solar Cells”, London, England, 9-10 July 2003
- (59) **Fluorescence probing of organic/inorganic nanocomposite gels:** P.Lianos, “8<sup>th</sup> Conference on Methods and Applications of Fluorescence: Spectroscopy, Imaging and Probes”, Prague, 24-27 August 2003, Czech Republic.
- (60) **Organic-inorganic nanocomposite materials and their application in solid-state dye-sensitized photoelectrochemical cells:** P.Lianos, E.Stathatos, U.Lavrencic-Stangar and B.Orel, “TOF 2002, International Conference on Thin Organic Films”, Smolenice Castle, Slovak Republic, Sept. 19-24, 2002.
- (61) **Photoluminescence studies on hybrid Organic-Inorganic gels:** V.Bekiari and P.Lianos, “11<sup>th</sup> European Conference on Composite Materials”, Rhodos, Greece, 31 May-3 June, 2004.
- (62) **Dye-sensitized nanostructured solar cells based on nanocomposite organic-inorganic materials:** E.Stathatos, P.Lianos, V.Jovanovski and B.Orel, “15<sup>th</sup> International Conference on Photochemical Conversion and Storage of Solar Energy, Paris, France July 4-9, 2004.
- (63) **Dye-sensitized nanostructured solar cells based on a nanocomposite organic-inorganic ion transport membrane:** E.Stathatos, P.Lianos, V.Jovanovski and B.Orel, “Solid-state Ionics-Transport Properties”, Patras, Greece, Sept. 14-18, 2004.
- (64) **Dye-sensitized Solar Cells based on Nanocomposite Organic-inorganic materials:** Panagiotis Lianos, Elias Stathatos, Vasko Jovanovski, Boris Orel, “European Materials Research Society, Spring Meeting”, Strasbourg, France, May 31-June 3, 2005.
- (65) **Pyridine-2,6-dimethanol in zinc(II) and lanthanide(III) chemistries: synthetic, structural and physical studies:** Eugenia Katsoulakou, Konstantis Konidaris, Catherine P. Raptopoulou, Aris Terzis, Vlasoula Bekiari, Panagiotis Lianos, Spyros P. Perlepes, Evy Manessi-Zoupa, 8<sup>th</sup> FIGIPAS Meeting in Inorganic Chemistry, 6-7 July 2005 Athens, Greece.

- (66) **Insights into the role of Zn(II) sites in hydrolytic enzymes and into the isomorphous substitution of zinc(II) by cadmium(II) in biological systems:** Eugenia Katsoulakou, Vlasoula Bekiari, Catherine P. Raptopoulou, Aris Terzis, Panagiotis Lianos, Spyros P. Perlepes, Evy Manessi-Zoupa, 8<sup>th</sup> FIGIPAS Meeting in Inorganic Chemistry, 6-7 July 2005 Athens, Greece.
- (67) **Study of poly(N,N-Dimethylacrylamide) hydrogels as hosts of ligand-lanthanide ion complexes:** Vlasoula Bekiari and Panagiotis Lianos, 68<sup>th</sup> Meeting on Macromolecules: "Polymer gels and networks", 10-14 July 2005 Prague, Czech Republic.
- (68) **Photodegradation of dyes by highly efficient nanocrystalline titania films:** Panagiotis Bouras and Panagiotis Lianos, EUROPACAT-VII, 28 Aug-1 Sept. 2005, Sofia, Bulgaria.
- (69) **New gel electrolytes for dye-sensitized solar cells based on ionic liquids.** Panagiotis Lianos, Elias Stathatos, Vasco Jovanovski and Boris Orel, 16<sup>th</sup> International Conference on Photochemical Conversion and Storage of Solar Energy, 2-7 July 2006, Uppsala, Sweden.
- (70) **Study of photocatalytic hydrogen evolution by water cleavage in the presence of sacrificial organic substances using highly efficient nanocrystalline titania films:** Nikoleta Strataki, Vlasoula Bekiari, Dimitris Kondarides and Panagiotis Lianos, 1<sup>st</sup> European Conference on Environmental Applications of Advanced Oxidation Processes (EAAOP-1), Chania, Greece, Sept. 7-9, 2006.
- (71) **Study of the conditions affecting dye adsorption on titania films and of their effect on dye photodegradation rates:** Nikoleta Strataki, Vlasoula Bekiari, and Panagiotis Lianos, 1<sup>st</sup> European Conference on Environmental Applications of Advanced Oxidation Processes (EAAOP-1), Chania, Greece, Sept. 7-9, 2006.
- (72) **Study of photodegradation of gas-phase organic compounds by using highly efficient nanocrystalline titania films:** Panagiotis Bouras, Panagiotis Lianos, 1<sup>st</sup> European Conference on Environmental Applications of Advanced Oxidation Processes (EAAOP-1), Chania, Greece, Sept. 7-9, 2006.
- (73) **Study of Organic-Inorganic nanocomposite materials and nanostructured metal oxides as efficient adsorbants for water treatment and reuse:** Elias Stathatos, Vlasoula Bekiari and Panagiotis Lianos, European Materials Research Society (E-MRS) Fall Meeting, Warsaw, Poland, 4-8 of September, 2006.
- (74) **Organic-Inorganic Nanocomposite Materials as efficient adsorbents for water purification:** V. Bekiari and P. Lianos, 3<sup>rd</sup> Workshop on Nanosciences and Nanotechnologies, Thessaloniki, Greece, 10-12 July 2006.
- (75) **"Old" ligands with new coordination chemistry: Zinc(II) and mixed Zinc(II)-Lanthanide(III) complexes based on pyridine-2,6-dimethanol.** K. Konidaris, E. Katsoulakou, V. Bekiari, P. Lianos, V. Psycharis, S.P. Perlepes and E. Manessi-Zoupa, Hellenic Crystallographic Association, 3<sup>rd</sup> Conference 22-24 September 2006, Patras, Greece.
- (76) **Hydrogen production by photocatalytic alcohol reforming using highly efficient nanocrystalline Titania films.** Nikoleta Strataki, Vlasoula Bekiari, Elias Stathatos, Dimitrios Kondarides and Panagiotis Lianos, 12<sup>th</sup> International Conference on TiO<sub>2</sub> photocatalysis: Fundamentals and applications, 24-27 Sept 2007, Niagara Falls, New York, USA.
- (77) **Quasi solid-state dye-sensitized solar cells based on nanocomposite organic-inorganic materials.** Elias Stathatos and Panagiotis Lianos. 12<sup>th</sup> International

- Conference on TiO<sub>2</sub> photocatalysis: Fundamentals and applications, 24-27 Sept 2007, Niagara Falls, New York, USA.
- (78) **Effect of the conditions of adsorption of dyes on nanocrystalline Titania films on photodegradation rates.** Nikoleta Strataki, Vlasoula Bekiari, Elias Stathatos and Panagiotis Lianos, 12<sup>th</sup> International Conference on TiO<sub>2</sub> photocatalysis: Fundamentals and applications, 24-27 Sept 2007, Niagara Falls, New York, USA.
- (79) **Quasi-solid-state Dye-sensitized Solar Cells based on Organic/Inorganic gel electrolytes.** Elias Stathatos and Panagiotis Lianos, 1<sup>st</sup> OrgaPVNet International Conference, 6-8 Feb 2008, Linz, Austria.
- (80) **Highly efficient titania films for photocatalysis. Applications to solar energy conversion devices.** P.Lianos, E.Stathatos, P.Bouras and N.Strataki. 8<sup>th</sup> Conference on Solid State Chemistry, 6-11 July 2008, Bratislava, Slovakia.
- (81) **Solar energy conversion devices employing titanium dioxide nanocrystalline films.** P.Lianos, E.Stathatos, P.Bouras and N.Strataki. 1<sup>st</sup> International Conference from Nanoparticles and Nanomaterials to Nanodevices and Nanosystems. 16-18 June 2008, Halkidiki, Greece.
- (82) **A new precursor of nanocrystalline TiO<sub>2</sub> films and their photocatalytic properties.** K.Pelentridou, E.Stathatos and P.Lianos, 1<sup>st</sup> International Conference from Nanoparticles and Nanomaterials to Nanodevices and Nanosystems. 16-18 June 2008, Halkidiki, Greece.
- (83) **Photocatalytic hydrogen production in the presence of nanocrystalline titania.** N.Strataki, M.Antoniadou and P.Lianos, 1<sup>st</sup> International Conference from Nanoparticles and Nanomaterials to Nanodevices and Nanosystems. 16-18 June 2008, Halkidiki, Greece.
- (84) **Photocatalytic and photoelectrochemical degradation of organic compounds with energy applications.** Panagiotis Lianos, Nikoleta Strataki and Maria Antoniadou, 5th European Meeting on Solar Chemistry and Photocatalysis; Environmental Applications (SPEA5), 4-8 Oct. 2008, Palermo, Italy.
- (85) **Photocatalytic hydrogen production using nanocrystalline titanium dioxide films.** Nikoleta Strataki, Maria Antoniadou and Panagiotis Lianos, 5th European Meeting on Solar Chemistry and Photocatalysis; Environmental Applications (SPEA5), 4-8 Oct. 2008, Palermo, Italy.
- (86) **Hybrid organic-inorganic solar cells based on nanostructured titania and conjugated polymers.** Elias Stathatos, Andreas Stefopoulos, Joannis Kallitsis and Panagiotis Lianos, E-MRS Spring Meeting, Strasbourg, France, June 8-12, 2009: Symposium A: Mesoscopic dye sensitized and organic heterojunction solar cells.
- (87) **New materials for Dye-sensitized and Hybrid Organic-Inorganic Solar cells.** Maria Antoniadou, Elias Stathatos, Joannis Kallitsis and Panagiotis Lianos, 2<sup>nd</sup> International Symposium on Flexible Organic Electronics (IS-FOE09), 8-10 July 2009, Porto Carras Hotel, Halkidiki, Greece.
- (88) **Photoelectrochemical oxidation of organic substances leading to production of electricity and hydrogen.** Maria Antoniadou and Panagiotis Lianos, 2<sup>nd</sup> European Conference on Environmental Applications of Advanced Oxidation Processes (EAAOP2), Sept. 9-11, 2009, Nicosia, Cyprus.
- (89) **Hybrid solar cells based on multilayer titania and poly(3-hexylthiophene).** Nikolaos Balis and Panagiotis Lianos, Hybrid and organic photovoltaics conference, HOPV 10, 23-27 May 2010, Assisi, Italy.

- (90) **Photoelectrochemical oxidation of organic wastes producing electricity. Photogalvanic and Mechanistic studies.** Maria Antoniadou, Dimitris Kondarides and Panagiotis Lianos, *6<sup>th</sup> European meeting on Solar Chemistry and Photocatalysis: Environmental applications SPEA6, 13-16 June 2010, Prague, Czech Republic.*
- (91) **Photofuelcell, an apparatus that consumes organic wastes to produce electricity.** Maria Antoniadou and Panagiotis Lianos, *6<sup>th</sup> European meeting on Solar Chemistry and Photocatalysis: Environmental applications SPEA6, 13-16 June 2010, Prague, Czech Republic*
- (92) **Solid-state hybrid solar cells made of double-layer titania and poly(3-hexylthiophene), sensitized either by a dye sensitizer or by nanoparticulate CdS.** Nikolaos Balis and Panagiotis Lianos, *Hybrid and organic photovoltaics conference, HOPV11, 15-18 May 2011, Valencia, Spain*
- (93) **Photoactivated fuel cells. Pure versus combined photoelectrocatalysts.** M. Antoniadou, P.Panagiotopoulou, D. Kondarides, P. Lianos, *9<sup>th</sup> European Symposium on Electrochemical Engineering, 19-23 June 2011, Chania, Greece*
- (94) **Photoactivated fuel cells. An alternative source of electricity that consumes water soluble wastes.** Maria Antoniadou, Dimitris I. Kondarides, Panagiotis Lianos, *1<sup>st</sup> International conference on bioinspired materials for solar energy utilization, 12-17 Sept. 2011, Chania, Greece*
- (95) **Solid-state hybrid solar cells based on nanocrystalline titania, CdS quantum dots and poly(3-hexylthiophene).** N.Balis and P.Lianos, *1<sup>st</sup> International conference on bioinspired materials for solar energy utilization, 12-17 Sept. 2011, Chania, Greece*
- (96) **Synthesis and characterization of mononuclear Eu(III) complexes with 1,2,4-triazine derivatives – Enhanced luminescence properties.** Nikos B. Arampatzis, Elias Stathatos, Panagiotis Lianos, Anastasios D.Keramidas, *1<sup>st</sup> International conference on bioinspired materials for solar energy utilization, 12-17 Sept. 2011, Chania, Greece*
- (97) **Optimization of the efficiency of quantum dot sensitized solar cells.** Nikolaos Balis, Vassilios Dracopoulos, Kyriakos Bourikas and Panagiotis Lianos, *Hybrid and organic photovoltaics conference, HOPV12, 6-9 May 2012, Uppsala, Sweden*
- (98) **Organic conductive polymers as alternative electrocatalysts for quasi solid-state Dye-sensitized Solar Cells.** Nikolaos Balis, Theodoros Makris, Vassilios Dracopoulos and Panagiotis Lianos, *Hybrid and organic photovoltaics conference, HOPV12, 6-9 May 2012, Uppsala, Sweden*
- (99) **Photoelectrocatalysis using nanocrystalline titania alone or combined with various co-catalysts.** M.Antoniadou, P.Panagiotopoulou, D.I.Kondarides, D.Sannino, P.Lianos. *7<sup>th</sup> European Meeting on Solar Chemistry and Photocatalysis: Environmental applications, SPEA 7, 17-20 June 2012, Oporto, Portugal.*
- (100) **Quantum dot sensitized titania as visible-light photocatalyst for the consumption of water-soluble wastes to produce electricity.** P.Lianos, M.Antoniadou, N.Balis, V.M.Daskalaki, D.I.Kondarides. *7<sup>th</sup> European Meeting on Solar Chemistry and Photocatalysis: Environmental applications, SPEA 7, 17-20 June 2012, Oporto, Portugal.*
- (101) **Photocatalysis and photoelectrocatalysis with visible-light responsive N-doped titania.** D.I.Kondarides, A.Petala, M.Antoniadou, P.Lianos. *7<sup>th</sup> European*



*Meeting on Solar Chemistry and Photocatalysis: Environmental applications, SPEA 7, 17-20 June 2012 , Oporto, Portugal.*

(102) **Quantum dot sensitized titania applicable as photoanode in photoactivated fuel cells.** P.Lianos, M.Antoniadou. *19<sup>th</sup> International Conference on Photochemical Conversion and Storage of Solar Energy, IPS-19, June 29-Aug. 3, 2012, Pasadena, California, USA.*

(103) **Optimization of quantum dot sensitized solar cells.** P.Lianos, N.Balis, *19<sup>th</sup> International Conference on Photochemical Conversion and Storage of Solar Energy, IPS-19, June 29-Aug. 3, 2012, Pasadena, California, USA.*

## PhD THESIS

"Photophysical Properties of Pyrene of Biophysical Importance". Dept. of Physics, University of Tennessee, Knoxville, Tenn., USA, August 1978.

## ΕΠΙΣΤΗΜΟΝΙΚΕΣ ΔΗΜΟΣΙΕΥΣΕΙΣ ΣΤΗΝ ΕΛΛΗΝΙΚΗ ΓΛΩΣΣΑ

1. *Φωτοφυσική μελέτη Οργανικών και Ανοργάνων Προσμείξεων σε Πυριτικές Υάλους:* Π.ΛΙΑΝΟΣ και Σ.ΜΟΔΕΣ. Πρακτικά IV Πανελληνίου Συνεδρίου Φυσικής Στερεάς Καταστάσεως, σ.146, 1988.
2. "Βασική Πανεπιστημιακή Φυσική", Π.ΛΙΑΝΟΣ, Εκδόσεις "Συμμετρία", 1995, 2004.
3. *Παρασκευή πηγμάτων  $SiO_2$  και  $TiO_2$  με τη Μέθοδο μετατροπής Κολλοειδούς σε Πήγμα (Sol-Gel):* Δ. ΠΑΠΟΥΤΣΗ και Π. ΛΙΑΝΟΣ, Πρακτικά VIII Πανελληνίου Συνεδρίου Φυσικής Στερεάς Καταστάσεως, σ. , 1992.
4. *Παρασκευή Εμπλουτισμένων Υάλων  $SiO_2$  με Χημική Μέθοδο σε Θερμοκρασία Περιβάλλοντος:* Π.ΛΙΑΝΟΣ, Περιοδική Ενημερωτική έκδοση Επιστημονικού Πάρκου Πατρών, Μάρτιος 1993, σελ13.
5. *Κολλοειδή πήγματα και λεπτά υμένια  $TiO_2$  παρασκευαζόμενα με τη μέθοδο Sol-Gel:* Δ.ΠΑΠΟΥΤΣΗ, Π.ΛΙΑΝΟΣ, Π.ΓΙΑΝΝΟΥΛΗΣ και Π.ΚΟΥΤΣΟΥΚΟΣ, Πρακτικά IX Πανελληνίου Συνεδρίου Φυσικής Στερεάς Καταστάσεως, σ.130, 1993.
6. *Ενζυμική Μελέτη σε Μικρογαλακτώματα Λεκιθίνης. Δομικά Χαρακτηριστικά Συστήματος:* Σ.ΑΒΡΑΜΙΩΤΗΣ, Α.ΞΕΝΑΚΗΣ και Π.ΛΙΑΝΟΣ, Πρακτικά 16ου Πανελληνίου Συνεδρίου Χημείας, 1995.
7. *Σχηματισμός Συμπλόκων μεταξύ Υδατοδιαλυτών Πολυμερών με Δεσμούς Υδρογόνου. Ο ρόλος των Υδρόφοβων Αλληλεπιδράσεων:* Γ.ΣΤΑΙΚΟΣ, ΚΑΡΑΓΙΑΝΝΗ, Ι.ΜΥΛΩΝΑΣ, Μ.ΚΟΥΣΣΑΘΑΝΑ και Π.ΛΙΑΝΟΣ, Πρακτικά 1ου Πανελληνίου Συνεδρίου Χημικής Μηχανικής, Πάτρα, Μάιος 1997 .
8. *Παρασκευή λεπτών υμενίων νανοσωματιδίων διοξειδίου του τιτανίου και μελέτη της φωτοευαισθητοποίησής τους με ορατή ακτινοβολία:* Η.ΣΤΑΘΑΤΟΣ, Π.ΛΙΑΝΟΣ, Δ.ΤΣΙΟΥΡΒΑΣ και Η.ΑΠΕΡΑΘΙΤΗΣ, Πρακτικά ΙΓ' Συνεδρίου Φυσικής Καταστάσεως, Θεσσαλονίκη, 21-24 Σεπτ. 1997.
9. *Μελέτη φωτοφωταύγειας  $SiO_2$  εμπλουτισμένου με προσμείξεις άνθρακος:* Β.Μπεκιάρη και Π.Λιανός, Πρακτικά ΙΔ' Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Ιωάννινα, 15-18 Σεπτ. 1998.
10. *Μελέτη της συμπλοκοποίησης μεταξύ του πολυ(N-ισοπροπυλακρυλαμιδίου) και του δωδεκυλοθειικού νατρίου με ιζοδομετρία, χρονική ανάλυση φθορισμού και ισορροπία διαπιδύσεως:* Ι.Μυλωνάς, Γ.Στάϊκος και Π.Λιανός, Πρακτικά 2ου Πανελληνίου Συνεδρίου Χημικής Μηχανικής, Θεσσαλονίκη, 1999.

11. *Νέες πηγές φωτεινής ακτινοβολίας αποτελούμενες από σύνθετα οργανικά/ανόργανα υλικά και ιόντα σπανίων γαιών:* Β.Μπεκιάρη και Π.Λιανός, Πρακτικά ΙΕ' Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Πάτρα , 26-29 Σεπτ. 1999.
12. *Μεσοπορώδη υμένια διοξειδίου του τιτανίου και η εφαρμογή τους στη φωτοβολταϊκή μετατροπή της ηλιακής ενέργειας:* Η.Σταθάτος και Π.Λιανός, Πρακτικά ΙΕ' Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Πάτρα , 26-29 Σεπτ. 1999.
13. *Μελέτη φωτοφωταύγειας από νανοδομημένα οργανικά/ανόργανα υβριδικά υλικά:* Β.Μπεκιάρη, Π.Λιανός, U.Lavrencic-Stangar και Β.Orel, Πρακτικά ΙΣΤ' Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Ναύπλιο 17-20 Σεπτ. 2000.
14. *Βελτιστοποίηση φωτοηλεκτροχημικών στοιχείων στερεού ηλεκτρολύτη:* Η.Σταθάτος και Π.Λιανός, Πρακτικά ΙΣΤ' Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Ναύπλιο 17-20 Σεπτ. 2000.
15. *Μετατροπή της Ηλιακής Ενέργειας σε Ηλεκτρική με τη χρήση Φωτοηλεκτροχημικών Κυψελίδων:* Η.Σταθάτος και Π.Λιανός, Πρακτικά 7<sup>ο</sup> Εθνικού Συνεδρίου για τις Ηπιες Μορφές Ενέργειας, Τόμος Α, Πάτρα 6-8 Νοεμβρίου 2002, Σελ. 367-374
16. *Παρασκευή νανοδομημένων υμενίων  $TiO_2$  με τη μέθοδο sol-gel και η εφαρμογή τους στη φωτοαποικοδόμηση της χρωστικής Basic Blue 41:* Π.Μπούρας και Π.Λιανός, Πρακτικά XX<sup>ο</sup> Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Ιωάννινα 26-29 Σεπτ. 2004.
17. *Σύνθεση και Χαρακτηρισμός συμπλόκων ενώσεων των Ga(III) και Al(III) με τον υποκαταστάτη Ν-σαλικυλοδενο-ο-αμινοφαινόλη:* Α.Καγκελάρη, Β.Μπεκιάρη, Α.Ραπτοπούλου, Α.Τερζής, Π.Λιανός και Θ.Ζαφειρόπουλος, Πρακτικά 20<sup>ο</sup> Πανελληνίου Συνεδρίου Χημείας, Σεπτ. 2005, Ιωάννινα.
18. *Η πυριδίνη-2,6-διμεθανόλη στη χημεία των λανθανιδών(III): Σύνθεση, χαρακτηρισμός και φυσικοχημικές μελέτες:* Ευγενία Κατσουλάκου, Βλασούλα Μπεκιάρη, Κωνσταντής Κονιδάρης, Κατερίνα Ραπτοπούλου, Άρης Τερζής, Παναγιώτης Λιανός, Σπύρος Π. Περλεπές και Έβη Μάνεση-Ζούπα, Πρακτικά 20<sup>ο</sup> Πανελληνίου Συνεδρίου Χημείας, Σεπτ. 2005, Ιωάννινα.
19. *Σύμπλοκα σπανίων γαιών και διατάξεις εκπομπής ηλεκτροφωταύγειας:* Ηλίας Σταθάτος, Παναγιώτης Λιανός και Αναστάσιος Κεραμιδάς, Πρακτικά XXI<sup>ο</sup> Συνεδρίου Φυσικής Στερεάς Καταστάσεως, Λευκωσία, Αύγουστος 2005.
20. *Μελέτη της παραγωγής υδρογόνου από τη φωτοκαταλυτική διάσπαση του νερού με τη χρήση νανοκρυσταλλικών υμενίων  $TiO_2$ :* Ν.Στρατάκη, Β.Μπεκιάρη, Δ.Κονταρίδης και Π.Λιανός, Πρακτικά XXII<sup>ο</sup> Πανελληνίου Συνεδρίου Φυσικής Στερεάς Καταστάσεως και Επιστήμης Υλικών, Πάτρα, 24-27 Σεπτεμβρίου 2006.

21. *Ηλιακές κυψελίδες τρίτης γενιάς*: Π.Λιανός, Πρακτικά Ημερίδας της Ακαδημίας Αθηνών, 27 Νοεμβρίου 2009, «Υλικά για ενεργειακές εφαρμογές», Σελ.97.